

The image is a composite of four photographs related to walnut blight. The top-left photo shows three healthy green walnuts on a branch. The top-right photo shows a branch with several walnuts, some of which have dark, necrotic spots. The bottom-left photo is a close-up of walnuts with prominent dark blight lesions. The bottom-right photo shows walnuts on the ground, some with blight lesions, next to a tree trunk.

Walnut Blight Control Investigations Tehama County 2008

*Richard Buchner, Steve Lindow
Jim Adaskaveg, Carolyn Pickel, Cyndi Gilles,
Renee Koutsoukis and Sara Goldman-Smith*



Rainfall, Stage of Growth and Spray Timing for the Tehama Walnut Blight Experiment

Date	Rainfall	Water Spray	Event
3/27	—	—	20% bud break
3/29	.01	—	19% bud break
3/31	—	—	30% bud break (first pollen)
4/1	—	—	first blight spray
4/2	—	—	30% prayer
4/3	—	—	32% bud break
4/6	—	—	first flowers
4/8	—	handgun water ¹	—
4/10	—	—	45% bud break (second spray)
4/14	—	handgun water	—
4/15	—	speed sprayer water	—
4/16	—	—	51% bud break
4/20	—	—	full bloom (frost)
4/21	—	—	third spray
4/22	.09	—	—
4/23	.03	handgun water	—
4/24	—	—	48% bud break (1/8 nut size)
4/28	—	handgun water	—
5/2	—	—	fourth spray
5/5	—	—	48% bud break (3/8 nut size)
5/23	.03	—	—
5/24	.08	—	—

¹Water application by handgun or speed sprayer

Comparisons of Kocide with and without Manex and Manex vs. Manzate 75DF

<u>Treatment</u>	<u>% Blight</u>
Kocide 2000 @ 6 lbs. + 58 oz. Manex/Ac	3.98 a ¹
Kocide 3000 @ 4 lbs. + 58 oz. Manex/Ac	7.80 ab
Kocide 3000 @ 4 lbs. + 2.4 lbs. Manzate ² /Ac	4.01 a
Kocide 2000 @ 6 lbs. Untreated (simulated rainfall)	9.22 b 32.05 c
Untreated (natural rainfall)	4.04 ³

¹Duncan's multiple range test for treatment means at the 5% level

²Manzate 75DF: Dupont Crop Protection, Zinc ion and Manganese ethylene-bisdithiocarbamate

³Non replicated trees outside of the rainfall simulator

Spray application dates were: 3/30/07; 4/9/07; 4/18/07; 4/30/07
and 5/10/07.

Treatments and rates.

<u>Treatment</u>	<u>Rate</u>
1. Kocide 3000 + Manex	4 lbs. + 58 oz./Ac.
2. Kocide 3000 + Dithane	4 lbs. + 58 oz./Ac.
3. Kocide 3000 + Manzate	4 lbs. + 2.4 lbs./Ac.
4. Kocide 3000 + Manzate	4 lbs. + 1.5 lbs./Ac.
5. Kocide 3000 + Manzate	4 lbs. + 0.5 lbs./Ac.
6. Kocide 3000	4 lbs./Ac.
7. Pristine	10 oz./Ac.
8. Pristine + Kocide 3000	10 oz. + 4 lbs./Ac.
9. NuCop + Manex	4 lbs. + 58 oz./Ac.
10. Kocide 2000 + Manex + Cyd-X	6 lbs. + 58 oz. + 1.5 oz./Ac.
11. Kocide 2000 + Manex + Cyd-X	6 lbs. + 58 oz. + 3.0 oz./Ac.
12. Untreated Control	—

RESULTS AND DISCUSSION

<u>Treatment</u>	<u>%Blight</u>	<u>Phytotoxicity</u>
1. Kocide 3000 + Manex	0 a ¹	0
2. Kocide 3000 + Dithane	.28 a	0
3. Kocide 3000 + Manzate (2.4 lbs.)	.09 a	0
4. Kocide 3000 + Manzate (1.5 lbs.)	.54 a	0
5. Kocide 3000 + Manzate (0.5 lbs.)	.23 a	0
6. Kocide 3000	.22 a	0
7. Pristine	.16 a	0
8. Pristine + Kocide 3000	.43 a	0
9. NuCop + Manex	.37 a	0
10. Kocide 2000 + Manex + Cyd-X	.11 a	0
11. Kocide 2000 + Manex + Cyd-X	.12 a	0
12. Untreated Control	.32 a	0

¹Duncan's multiple range test for treatment means at the 5% level.

Effect on blight control from a single spray applied 4/2/08 (30% prayer) using five rates of Breakthru. Single tree treatment, non replicated.

<u>Treatment</u>	<u>% Blight</u>
Kocide + Manex ¹	1.35
Kocide + Manex + 8 oz/100 gal Breakthru	1.37
Kocide + Manex + 16 oz/100 gal Breakthru	.15
Kocide + Manex + 32 oz/100 gal Breakthru	.56
Kocide + Manex + 64 oz/100 gal Breakthru	.68

¹Kocide 3000 @ 4 lbs + Manex @ 58 oz/ac.

Kernel copper analysis for treated trees with and without copper and Manex.

<u>Treatment</u>	<u>Kernel ppm Cu</u>
Kocide 3000 @ 4 lbs. + 58 oz. Manex/ac	13.12 a ¹
Kocide 3000 @ 4 lbs./ac	15.14 a
Untreated control	13.88 a

Spray application dates were 4/01/08, 4/10/08, 4/21/08 and 5/2/08.

Kocide 101 @ 8 lbs. + 58 oz. Manex/Ac.	13.62 a ¹
Kocide 2000 @ 6 lbs. + 58 oz. Manex/Ac.	11.76 a
Kocide 3000 @ 4 lbs. + 58 oz. Manex/Ac.	13.12 a
Kocide 2000 @ 6 lbs.	11.88 a
Untreated Control	13.38 a

Spray application dates were: 3/30/07; 4/9/07; 4/18/07; 4/30/07 and 5/10/07.

¹Duncan's multiple range test for treatment means at the 5% level. RCB design, 3 treatments with 5 replicates.

Shoot nut set for four prayer stage dates. 100 shoots tagged at each date, two replicates. Full bloom 4/20/08, nuts counted 6/12/08.

Tree #1

Date Prayer Stage	% shoots no walnuts	% shoots one walnut	% shoots two walnuts	% shoots three walnuts
4/2/08	11.3	32.7	45.9	10.2
4/7/08	9.4	43.8	44.8	2.0
4/11/08	30.0	42.2	27.8	0.0
4/15/08	83.8	10.0	6.2	0.0

Tree #2

Date Prayer Stage	% shoots no walnuts	% shoots one walnut	% shoots two walnuts	% shoots three walnuts
4/2/08	33.3	27.3	29.4	0.0
4/7/08	43.1	27.4	29.5	0.0
4/11/08	59.8	26.4	13.8	0.0
4/15/08	94.0	4.8	1.2	0.0

Tehama Codling Moth/Blight Plot 2008

<u>Treatment</u>	<u>Canopy Count 8/6/08</u>	<u>Harvest (CM)</u>
Kocide 2000 + Manex + 1.5 oz. Cyd-X	.44	0
Kocide 2000 + Manex + 3.0 oz. Cyd-X	.14	0
Kocide 3000 + Manex	.20	0
Kocide 3000	.20	0
Control	.29	0


Spray dates: 4/1, 4/10, 4/21 (195DD) 5/2 (324DD) and 6/27. Biofix 3/24, 6/23 and 8/7.
Five single tree replicates and 400 nuts per tree.

In Summary:

- Need rainfall for conditions that encourage walnut blight infection.
- Manzate @ 2.4 lbs. is effective.
- Still working on Manzate rates.
- Breakthru at 8-16 oz./100 gal.
- Blight sprays do not increase kernel copper content.
- First prayer stage are more likely to set walnuts.
- Cyd-X combined with a blight control program needs additional investigation.

How to Kill Blight in Tehama County

- 1) First application at 40% prayer stage
Second 7-10 days later (8-16 oz. Breakthru or equivalent).
- 2) Watch weather and treat accordingly
6.0 lbs. Kocide 2000 – 35% metallic
4.0 lbs. Kocide 3000 – 30% metallic
58 oz. Manex / 2.4 lbs. Manzate
- 3) Any good quality copper will work.
- 4) Full coverage for the first and second.
Watch weather and treat accordingly.
- 5) Use judgment based upon location and disease severity.



CROWN GALL TREATMENTS

**Richard Buchner, Jim McKenna, Alex Suchan
and Cyndi Gilles**

Treatment	Surgery Ring/Removal	Live Galls¹ 12/29/99	Live Galls 7/14/00
1. Breakthru® 1%	Yes	0	2
2. Bleach 10%	Yes	1	6
3. Breakthru® 1% + Bleach 10%	Yes	0	1
4. Breakthru® 1% + Bleach 10%	No	7	8
5. Gallex®	Yes	0	0
6. Gallex®	No	8	8
7. Blowtorch	Burned	0	0
8. UN32	Yes	0	0
9. #2 Diesel	Yes	0	1
10. None/Control	Yes	0	0
11. None/Control	No	8	8

Figure 1. Technique and material evaluation for Crown Gall control. Galls were initially treated 7/14/99. Breakthru®, Gallex®, Bleach and Diesel were reapplied 7/29/99 to ensure good material coverage. Galls were rated 12/29/1999 and again 7/14/2000.

¹Numbers represent the number of live galls compared to the 8 galls initially treated.









4.9.2002





Summary

- Tissue around the gall is critical to treat
- Chemical treatments alone were not effective
- Clean surgery is effective
- Killing surrounding bark with heat is effective
- Surgery plus heat is the preferred method
- Get them when they're small