

Water Management During Drought

UCCE Statewide Drought Workshop Series

Janet Hartin

**UCCE Area Environmental Horticulture Advisor
(San Bernardino, Los Angeles, and Riverside Counties)**



Maintaining An Existing Landscape





Hopefully Plants Were
Selected Based on their
Local Climate Zone

Most Orange County cities are located in Sunset zones 22, 23, and 24 and most San Diego County cities are in Sunset zones 20, 21, 23, and 24 with a small portion in zone 18.

Irrigation Scheduling Involves Applying the Right Amount of Water at the Right Time



What Factors are Involved in Irrigation Scheduling?

- Plant water use
- Soil water holding capacity
- Water infiltration rate
- Plant rooting depth
- Irrigation system output

Plant Water Use

- Varies Among Species
- Influenced By Microclimate
- Varies By Density



$$ET \text{ (Landscape Species)} = ETo \text{ (Reference Evapotranspiration)} \times Kc \text{ (Crop Coefficient)}$$

Reference Evapotranspiration (ET_o)

- ET_o = The Amount Of Water Used by a Large Uniform Planting of a Cool-season Grass Growing 3-6 Inches Tall Given Unlimited Water.

Factors That Determine ETo

- Solar Radiation
- Temperature
- Wind Speed
- Relative Humidity

www.cimis.water.ca.gov


California Irrigation Management Information System




CIMIS Station

Avg. Monthly Irrigation Percentages

Monthly Irrigation Index without Rain



Average (Mean) ETo



Plant ET Often Higher Than Actual Water Required For Acceptable Performance (Mesquite And Ficus)



Water Needs of the Same Species Vary Depending on Microclimate

- Landscape Plants in Heat Islands
Require up to 50% More Water Than
the Same Species in a Park Setting








Shade Vs Full Sun





**Hydrozone: Plant Species With Similar
Water Needs Together**



Lawns And Groundcovers More 'Crop-like' Than Mixed Species With Varying Densities And Microclimates

K_c (Warm Season Turf) = .6

K_c (Cool Season Turf) = .8

‘Crop’ Of Turf



UC ANR's ***Lawn Watering Guide*** Based On Warm
Season Grass $K_c = .6$ And Cool Season Grass
 $K_c = .8$ and a Distribution Uniformity Of 80%

<http://ucanr.org/freepubs/docs/8044.pdf>

How To Use The 'Lawn Watering Guide'

- Determine Type Of Lawn (Warm vs. Cool Season Turf)
- Conduct A 'Can Test' To Determine Sprinkler System Output And Distribution Uniformity
- Determine How Long To Irrigate (Minutes Per Week) Based On Climatic Chart Provided
- Determine Maximum Amount Of Time To Water Per Event Until Runoff Just Begins

Identify And Repair Leaks, Low Heads, Broken Sprinklers, Unmatched Sprinklers And Pressure And Spacing Problems



Improve Distribution Uniformity to Improve Turf and
Groundcover Health and to Reduce Water Waste




**Good (top) and Poor (bottom)
Distribution Uniformity**



Water Cycling May Be Necessary to Avoid Run-off.
Divide the Total Amount of Water Required Per
Day into 2-4 Cycles. Apply Water as Close to
Initial Event as Possible Before Soil Dries Out.

Planting Density Affects Water Requirement



Multi-tiered Canopy Uses More Water Than Single Tier Canopy





Low Density Planting



DWR WATER BUDGET

$$*MAWA = (ETO) (0.7) (LA) (0.62)$$

ETo = Reference Evapotranspiration (Inches Per Year)

0.7 = ET Adjustment Factor

LA = Landscaped Area (Square Feet)

0.62 = Conversion Factor (To Gallons)

***Maximum Applied Water Allowance = _____ Gallons/Year**

Example of Maximum Applied Water Allowance (MAWA)

- Inland Orange County (Annual Historical E_{to} = 49.7 inches)
- Hypothetical Landscape Area = 5,000 Sq Ft
- $MAWA = (E_{to}) (0.7)^* (L_a) (0.62)^{**}$
- $MAWA = (49.7) (0.7) (5,000 \text{ Sq Ft}) (0.62)$
- **MAWA = 107,849 Gallons Per Year**

* E_t Adjustment Factor

** Conversion Factor From Inches To Gallons

External Resources for Plant Water Use Lists

(additional tools to combine with your own local knowledge as Master Gardeners)

- Sunset Garden Collection <http://sunsetwesterngardencollection.com/>
- California Native Plant Society: <http://www.cnps.org/cnps/grownative/lists.php>
- Water districts such as Irvine Ranch: <http://www.rightscaperesources.com/>
- WUCOLS IV (Water Use Classification of Landscape Species):
<http://ucanr.edu/sites/WUCOLS>



RightScape

Differences Exist Among Species Growing Across Climate Zones (WUCOLS)

- Variegated Chinese Lantern (*Abutilon Pictum*) is in the High Water Use Category in the Central Valley but Moderate in the South Inland Region.
- Engelmann Oak (*Quercus Engelmannii*) is in the Very Low Category In The South Coastal Region but Low in the North-central Coastal Region.

Protected Tree Ordinances May Prohibit Cutting, Removing, Moving, Or Encroaching Upon Protected Indigenous Trees:

- California Live Oak
 - Valley Oak
 - Mesa Oak
 - Scrub Oak
- California Sycamore
 - California Bay



WUCOLS IV

MODERATE WATER USE

- Valley Oak: (*Quercus Lobata*)
- California Bay (*Umbellularia Californica*)
- California Black Oak (*Quercus Kelloggii*)
- Sycamore (*Platanus Rasemosa*)
- Indian Laurel Fig (*Ficus Microcarpa*)
- Monterey Pine (*Pinus Radiata*)


WUCOLS IV

High Water Use

- Weeping Willow: (*Salix Babylonica*)
- Red/River Birch: (*Betula Nigra*)
- Coast Redwood: (*Sequoia Sempervirens*)

**Determining When to Irrigate is as Important as
Knowing How Much Water to Apply**

Determine Soil Water Holding Capacity





Use the 'Feel' Test



Dry



Medium



Wet

Depths to Irrigate

Turf - 8 To 12 In.

Shrubs - Small: 1 Ft.
- Large: 2 Ft.

Trees - Small: 2 Ft.
- Large: 3 Ft.

Monitor Soil Moisture





Soil probe



Soil sampling tube

Drought



- Recently Transplanted Plants are at Greatest Risk of Drought Damage Due To Root Loss.
- Established Plants (trees) are Less at Risk.

Recognizing Early Signs of Drought Stress is Important Because:

- Irreversible damage can occur that no amount of watering will correct
- Mature fruit trees and landscape trees are worth saving.



Common Symptoms of Drought Include:

- Wilting or drooping leaves that do not return to normal by evening
- Curled or chlorotic (yellow) leaves that may fold or drop
- Foliage that becomes grayish and loses its green luster
- New leaves that are smaller than normal
- Lawns that retain a footprint for several minutes





Maintaining Various Types of Plants During Water Restrictions and Severe Drought

Ornamental Trees

- Most homeowners wisely choose to use whatever water is available to save their mature landscape ornamentals and fruit trees.
- One or two deep irrigations with a garden hose several weeks apart in spring and summer will often keep these valued plants alive, especially if roots are relatively deep.

(Con'd)

- Two seasons without enough water can result in severe drought stress and even death.
- Drought-stressed trees are more prone to damage from diseases and insects than non-stressed trees.



Engraver Beetles





UC Statewide IPM Project
© 2000 Regents, University of California



(Con'd)

- Watering with a garden hose slowly and deeply will help water reach the root zone. Soaker hoses work well, too.
- Water mature trees several feet out from the trunk and make sure water is moving through the soil several inches deep into the root zone.



Fruit and Nut Trees

- Keeping fruit and nut trees alive during severe water shortages is also possible, although crop production will be reduced or stop.
- To produce a good crop, deciduous fruit and nut trees need adequate water in their root zones continuously from bloom until harvest.



Peaches, Plums, and Nectarines

- Adequate irrigation during the final 4 – 6 weeks before harvest is important to produce fruit. If necessary, reducing water just prior to this period and after harvest are viable strategies.
- If little or no irrigation water is available throughout the season, trees may be kept alive by severely cutting scaffolds back to the trunk (dehorning).

Citrus

- Citrus trees need adequate soil moisture during spring to set fruit and steady water in summer and fall to produce acceptable size, numbers, and quality of fruit.



Vegetables

- Vegetables are difficult to maintain during a drought.
- As a rule of thumb, water is most critical during the first few weeks of development, immediately after transplanting, and during flowering and fruit production.



(Con'd)

- Tomatoes, beans, and root crops such as carrots require regular watering and are not tolerant to long, dry periods. Vine crops such as squash and zucchini often fare better and can be kept alive with a few waterings once or twice a week through the season.



Shrubs

- Most established shrubs can survive long periods of dry soil. Thorough spring watering and one or two thorough waterings in the summer keeps most well-established shrubs alive for at least one season.



Groundcovers

- Groundcovers often survive on about half the amount of water received under optimal conditions, although some dieback may occur.
- To avoid serious drought stress groundcovers require waterings every 3-6 weeks from spring through fall depending on species and soil type and microclimate.



Lawns

- Warm-season lawns such as bermudagrass and buffalograss are more drought-resistant than cool season grasses such as tall fescue and ryegrass and may come back after several weeks of dryness. Cool season grasses may die within a month or two of receiving no water.
- Cutting the length of irrigation down to $\frac{1}{2}$ of that recommended in the UC lawn watering guide (<http://anrcatalog.ucdavis.edu/pdf8044.pdf>) and watering only once or twice a week may help lawns survive drought.

(Con'd)

- Once a lawn stops receiving adequate moisture, it will gradually turn brown and go dormant over time. A lawn that recently turned brown from drought can often be revived with regular, thorough watering.




What Else Can You Do Right Now Without Starting Over?

Mulch

- Apply 2-3” of mulch around garden plants and trees to hold water in and reduce soil evaporation.
- Keep it several inches away from tree trunks!
- Make sure to water beneath the mulch.





**What
Mistake Do
You See?**



**Mulch
Volcano!**


Avoid Planting New Plants

- Young plants require frequent irrigation until established and should not be planted during a drought or under water restrictions.
- Even native plants require continually moist root zones during establishment.



Avoid Overfertilizing

- Too much nitrogen results in lush, weak new growth, and increases the need for even more water.
- Too much fertilizer can lead to pollution of waterways.





Iron Chlorosis

Keep Weeds Out

- Weeds often outcompete garden plants and trees for water.
- Avoid using chemical herbicides; hand-weed instead. Overuse of pesticides can lead to waterways pollution.



Use a Broom Instead of a Hose to Clean up After Gardening/Pruning

- Save water and avoid polluting waterways.
- Get some exercise.




What about Long-Term Solutions?

- Continue to schedule irrigations based on plant water requirements and follow other best management practices previously discussed. (People waste water - not plants.)
- Consider replacing sprinkler irrigated 'crop' plants like turf and groundcovers with drip irrigated water efficient plants. Select new plants based on climate zone and microclimate.
- Hydrozone: place plants with similar water needs together.

Long Term Solutions (con'd)

- Before planting, mix compost evenly several inches into garden soil to hold water in longer and decrease the chance of waterway pollution from runoff (clay soils) or draining below the root zone into groundwater (sandy soils).
- Add 2-3 inches of mulch on top of garden soil and around trees and shrubs, keeping it several inches away from tree trunks.
- Consider adding a graywater system if legal in your jurisdiction. (Graywater systems reuse water from washing machines and showers.) Never apply graywater to edibles or edible plant parts!



**Beautify Your Landscape, Protect the Environment,
and Save Water, Money, and Time!**

List of UC ANR Drought Resources

[http://cagardenweb.ucanr.edu/Drought /Drought Gardening Tips /](http://cagardenweb.ucanr.edu/Drought/Drought_Gardening_Tips/)

[http://ciwr.ucanr.edu/California Drought Expertise/Drought information/](http://ciwr.ucanr.edu/California_Drought_Expertise/Drought_information/)

<http://ucanr.edu/Publications>



**Thank You
for Your Service as a UCCE
Master Gardener**



Questions?

**Janet Hartin
jshartin@ucanr.edu
951.313.2023**