

Meetings and Announcements

Master Gardener Program

Same as last month.

UC Cooperative Extension in Kern County has received funding for a Master Gardener (MG) coordinator. The funding cycle begins Oct. 1. Therefore, we hope to begin the MG program, probably next spring. The MG program offers classroom instruction in horticulture with a required volunteer-hour component. We have not had an MG program in Kern Co. since ca. 1993, when we moved to an educational outreach in horticulture without the volunteer component. I don't have plans for a horticulture class this fall and likely not until the MG program begins.

Annual Winter Pruning Demonstration

We plan to hold our annual winter pruning demonstration for deciduous fruit trees and grapes in January, 2024. We have not made a decision on the date, but probably the second or maybe third week of January.

Fall Color Development in Trees and Shrubs

One of the most colorful displays of nature is a landscape ablaze with fall color. In the northern United States, especially in the hardwood forests from Michigan to New England, each tree may give startling impact to the scene, and no two trees are exactly alike. Some species are noted for fall color, such as the scarlet sumac covering many Midwest hillsides, and around Bakersfield the bright liquidambar and Chinese pistache.

Why the different shades of color? Chlorophyll is the green pigment that captures the energy of sunlight, making photosynthesis possible, the formation of sugars from carbon dioxide and water. During the growing season chlorophyll is produced as long as a plant remains healthy.

In late summer and early autumn, the spectacular unveiling of color begins as day length triggers the process. Metabolism in the leaf, including chlorophyll production, slows. Nitrogen, phosphorus, and potassium are pulled back into twigs while calcium and magnesium remain in leaves. Cells begin to break down. How much and how fast chlorophyll is destroyed differs among plant species. For example, Norway maple leaves lose almost all their chlorophyll while those of lilac lose only 40 percent. The average chlorophyll loss across many species is about 85 percent.

As chlorophyll breaks down, pigments that have been present during the growing season but were masked by the abundance of chlorophyll begin to be visible. Carotenoids are a class of pigments with over 60 members found in plants and animals. The most

familiar carotenoid is carotene, the orange pigment found in carrots. Another closely related chemical group, even more plentiful in plants, is the xanthophylls. Both groups of compounds are yellow-to-orange in color. Tree genera, such as ash and willow, produce carotenoids and xanthophylls and display these characteristic colors when autumn arrives.

But what about the reds and purples? Plants including viburnums, Boston ivy and liquidambar can synthesize new pigments in the autumn. The mechanism to form these compounds isn't active at other times of the year, but in autumn sugars are synthesized to form pigments called anthocyanins, named from the Greek words "anthos," a flower, and "kuanos," azure blue. Each specific compound has a particular color, which may be crimson, scarlet, blue-violet, red, purple or mauve. The color depends on the chemical structure of the pigment.

Sunlight and weather conditions favoring accumulation of sugars also favor production of anthocyanins. The best conditions for glorious fall color are sunny dry weather with cool but not freezing night temperatures. These conditions are more likely to be found in the mountains than on the Valley floor. Frost does not encourage development of fall color. Rather, leaves may be killed or injured before coloring processes are complete.

Liquidambar and Chinese pistache are among the most colorful shade trees found on the southern San Joaquin Valley floor. Willows, birches and poplars contribute yellows. Perhaps the most colorful shrub visible in the Kern Canyon is poison oak, but this plant is not recommended for landscapes!

Galls on Oak Leaves

Oak leaves in the autumn may display a number of colorful galls. These are plant tissue, caused to grow as influenced by a tiny insect larva inside. The larvae of gall wasps of the family *Cynipidae* will pass through a pupal stage and become adults. Usually the galls are just an interesting and colorful addition to oak leaves. Control is difficult to impossible, and in almost all situations unnecessary, since little or no long-term injury occurs to oak trees. There is further information on the UCIPM website about these insects at <http://ipm.ucanr.edu/PMG/GARDEN/PLANTS/INVERT/oakgallwps.html>.

Photos of various oak galls are shown below, all of which were collected in Kern County.





John Karlik
Environmental Horticulture/Environmental Science

Disclaimer: Discussion of research findings necessitates using trade names. This does not constitute product endorsement, nor does it suggest products not listed would not be suitable for use. Some research results included involve use of chemicals which are currently registered for use or may involve use which would be considered out of label. These results are reported but are not a recommendation from the University of California for use. Consult the label and use it as the basis of all recommendations.

In accordance with Federal law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, the University of California, Division of Agriculture and Natural Resources (UC ANR) is prohibited from discriminating on the basis of race, color, national origin, religion, sex, gender, gender expression, gender identity, pregnancy (which includes pregnancy, childbirth, and medical conditions related to pregnancy or childbirth), physical or mental disability, medical condition (cancer-related or genetic characteristics), genetic information (including family medical history), ancestry, marital status, family/parental status, income derived from a public assistance program, political beliefs, age, sexual orientation, citizenship, or status as a U.S. veteran, or reprisal or retaliation for prior civil rights activity. Program information may be made available in languages other than English. Persons with disabilities who require alternative means of communication to obtain program information (e.g., Braille, large print, audiotope, American Sign Language) should contact the UC ANR ADA Coordinator, phone: 530-750-1317, email: daritz@ucanr.edu or USDA's TARGET Center at (202) 720- 2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339. To file a program discrimination complaint with the USDA, a complainant should complete a Form AD-3027, USDA Program Discrimination Complaint Form, which can be obtained online at <https://www.ocio.usda.gov/document/ad-3027>, from any USDA office, by calling (866) 632- 9992, or by writing a letter addressed to USDA. The letter must contain the complainant's name, address, telephone number, and a written description of the alleged discriminatory action in sufficient detail to inform the Assistant Secretary for Civil Rights (ASCR) about the nature and date of an alleged civil rights violation. The completed AD-3027 form or letter must be submitted to USDA by: (1) Mail: U.S. Department of Agriculture Office of the Assistant Secretary for Civil Rights 1400 Independence Avenue, SW Washington, D.C. 20250- 9410; or (2) Fax: (833) 256-1665 or (202) 690-7442; or (3) Email: program.intake@usda.gov. The University of California, Division of Agriculture and Natural Resources (UC ANR) is an equal opportunity provider. Alternatively, a program discrimination complaint may be filed with the UC Harassment & Discrimination Assistance and Prevention Program (HDAPP) by email hdapp@ucdavis.edu or phone: 530-304-3864; or contact the UC ANR Title IX Coordinator at (530) 752-9466. University policy is intended to be consistent with the provisions of applicable State and Federal laws. Inquiries regarding the University's nondiscrimination policies may be directed to: UC ANR, Interim Affirmative Action Compliance Officer, University of California, Agriculture and Natural Resources, 2801 Second Street, Davis, CA 95618, (530) 750-1280. Email: tljordan@ucanr.edu. Website: [http://ucanr.edu/sites/anrstaff/Diversity/Affirmative Action/](http://ucanr.edu/sites/anrstaff/Diversity/Affirmative_Action/).
